



Cascade County Public Works

"WORKING TOGETHER TO PROVIDE EFFICIENT AND EFFECTIVE PUBLIC SERVICE"

BIDDER'S PACKAGE

CASCADE COUNTY

SOLICITATION FOR BIDS FOR
THE PURCHASE OF MULTIPLE VARIOUS FLEET VEHICLES

OCTOBER 2014

Brian K. Clifton, Director
Jim Ekberg, Deputy Director

DIVISIONS

Building Maintenance
Kerry Saunders
415 2nd Ave No, #111
Great Falls, MT 59401
Phone: 406-454-6769

ExpoPark Maintenance
Rick Cole
400 3rd ST NW
Great Falls, MT 59404
Phone: 406-727-8900

Fleet Maintenance
Bob Wilson
279 Vaughn S Frontage Rd
Great Falls, MT 59404
Phone: 406-454-6928
Fax: 406-454-6922

Planning
Susan Conell
121 4th St No, STE 2H/I
Great Falls, MT 59401
Phone: 406-454-6905
Fax: 406-454-6919

Road & Bridge
Rick Schutz
279 Vaughn S Frontage Rd
Great Falls, MT 59404
Phone: 406-454-6913
Fax: 406-454-6910

Weed & Mosquito
Will Patterson
279 Vaughn S Frontage Rd
Great Falls, MT 59404
Phone: 406-454-6920
Fax: 406-454-6922

TABLE OF CONTENTS

	Page
Invitation to Bidders.....	3
General Information for Bidders.....	4
Bidder’s Submission Requirements.....	7
Bid Form.....	8
Trade-In Value Consideration.....	10
Agreement.....	12
Specifications.....	14
Explanation Page for Non-Minimum Specifications.....	29
Affidavit of Non-Collusion.....	30
Bidder’s Checklist.....	31

Cascade County Public Works Department

INVITATION TO BIDDERS

NOTICE IS HEREBY GIVEN that the Cascade County Board of Commissioners will receive sealed bids for the purchase of a variety of fleet vehicles for Cascade County. A non-mandatory pre-bid conference will occur at 9:00 am on Monday, November 3rd 2014 at the Cascade County Public Works Department, 279 Vaughn South Frontage Road, Great Falls, MT 59404. Specifications for the various types of vehicles may be obtained by contacting Brian K. Clifton, Director, Cascade County Public Works, 279 Vaughn S. Frontage Road, Great Falls, MT 59404; Phone (406) 454-6920.

Bids will be opened on the 13th day of November, 2014, at the time of 1:00 o'clock p.m. in the office of the Board of Commissioners, in the Cascade County Courthouse Annex, 325 2nd Ave North, Room 111, Great Falls, Montana.

Each bid must be accompanied by a Certified Check, Cashier's Check, or Bid bond payable to Cascade County in the amount of ten percent (10%) of the total amount of the bid for the vehicles without deduction for the value of the possible trade in equipment. The successful bidder shall forfeit to Cascade County their bid security if they fail or refuse to enter into a contract within the time specified. Bid security of unsuccessful bidders shall be returned upon acceptance of the successful bid.

All bids shall remain effective for a period of sixty (60) days from the date of opening. Cascade County reserves the right to consider or reject any and all bids, and further to waive any defects or irregularities. All bidders must use the bid form supplied with the specifications. A contract will be awarded to the lowest and most responsible bidder for each of the various types or model of vehicles.

All bidders are expected to be aware of and to abide by all state and federal statutes, rules, and regulations governing the solicitation and acceptance of public contracts, including any such statute, rule or regulation relating to non-discrimination.

The Board of Commissioners reserves the right to reject any or all bids, to waive irregularities, or to accept any bid they deem to be in the best interest of Cascade County.

DATED this 28th day of October, 2014.



Bill Salina, Chairman
Cascade County Board of Commissioners

(Publish October 30th, November 2nd, and November 9th, 2014.)

Cascade County Public Works Department

GENERAL INFORMATION FOR BIDDERS

1. Bid Opening. The Cascade County Commissioners will receive bids from persons or entities capable of supplying one (1) or more of each of the various models of fleet vehicles as outlined and described in the specifications included herein. Bids shall be opened and read aloud at a meeting of the Commissioners to take place on the 13th day of November, 2014, at the time of 1:00 o'clock p.m. at the Commissioner's Office, in the Cascade County Courthouse Annex Room 111. All bids must be received no later than the start of the meeting.

2. Notice. Notice is being published in the Great Falls Tribune, (a copy of the notice is included with this package) with publication dates of October 30th, November 2nd, and November 9th, 2014. All interested and capable persons or entities are invited to submit bids on the bid form included with this package. A non-mandatory pre-bid conference will occur at 9:00 am on Monday, November 3rd, 2014 at the Cascade County Public Works Department, 279 Vaughn South Frontage Road, Great Falls, MT 59404.

3. Bid Security. Pursuant to Section 18-1-201, Montana Code Annotated, the Board of Commissioners must require a bid security. Each bid must be accompanied by security in a form specified below, and in an amount equal to ten percent (10%) of the bid of the bidder, and payable to Cascade County.

According to the above cited statute, bid security is required "as a condition precedent to considering any such bids, as evidence of good faith on the part of the bidder, and as indemnity for the benefit of such public authority against the failure or refusal of any bidder to enter into any written contract that may be awarded upon and following acceptance of (a) bid..." Thus, if a bidder is selected and requested to enter into the contract, and the bidder refuses to enter into the contract, the bid security shall be forfeited in its entirety to Cascade County.

The form of the bid security is specified in Section 18-1-202, Montana Code Annotated, as follows;

"(1) In all cases under 18-1-202 (1), the bidder, offeror, or tenderer shall accompany and bid with either:

(a) lawful money of the United States;

(b) a cashier's check, certified check, bank money order, or bank draft, in any case drawn and issued by a federally chartered or state-chartered bank insured by the federal deposit insurance corporation; or

(c) a bid bond, guaranty bond, or surety bond executed by a surety corporation authorized to do business in the state of Montana. If a financial guaranty bond or surety bond is provided to secure the purchase of indebtedness, the long-term indebtedness of the company executing the financial guaranty bond or surety bond must carry an investment grade rating of one or more nationally recognized independent rating agencies.

Cascade County Public Works Department

(2) The money or, in lieu of money, the bank instruments or bid bonds, financial guaranty bonds, or surety bonds must be payable directly to the public authority soliciting or advertising for bids.”

The successful bidder’s bid security shall be returned upon the parties entering into a contract. Also, at such time, the bid security of unsuccessful bidders shall be returned.

4. Contract. The successful bidder will be expected to enter into a contract with Cascade County. The form of the contract is included within this package. However, Cascade County reserves the right to make changes to the contract which do not affect the substantial rights of the parties.

All bids shall remain effective for a period of sixty (60) days from the date of opening. At some time during said sixty (60) day period, the successful bidder will be expected to enter into the contract.

5. Waiver of irregularities and informalities. Cascade County reserves the right to waive any irregularity or informality in any bid. Further, Cascade County reserves the right to reject any and all bids for any reason.
6. Basis of Award. Cascade County shall base any award on the most responsible bid submitted for each of the various make and model of fleet vehicles. Cascade County reserves the right to purchase the various make and model from different bidders based on lowest most responsible bidder that the county deems appropriate. Consideration will be given, but is not limited to, cash flow, purchase price, trade in value, delivery date, equipment service guarantees, parts and service availability, parts and service facilities locations, analysis and comparison of equipment specification details, fuel consumption, fuel additive requirements, annual and lifetime operating costs, annual and lifetime ownership costs, resale value, and past experience of Cascade County with similar or related equipment.
7. Resident Bidder Preference. Pursuant to Section 18-1-102, Montana Code Annotated, Cascade County will award the contract “to the lowest responsible bidder without regard to residency. However, a resident must be allowed a preference on a contract against the bid of a nonresident if the state or country of the nonresident enforces a preference for residents. The preference must be equal to the preference given in the other state or country.”

According to Section 18-1-113, Montana Code Annotated, any bidder seeking a preference shall be required to file, along with the bid, an affidavit, specifying in detail, the basis upon which the bidder claims a preference.

8. Non-Discrimination. The successful bidder shall be expected to abide by all provisions of state and federal law regarding discrimination. One such provision, in Montana law is Section 49-3-207, Montana Code Annotated, which states Non-Discrimination; “(e)very state or local contract or subcontract for construction of public buildings or for other public work or for goods or services must contain a provision that all hiring must be on the basis of merit and qualifications, and a provision that there may not be discrimination on the basis of race, color religion, creed,

Cascade County Public Works Department

political ideas, sex, age, marital status, physical or mental disability, or national origin by the persons performing the contract.

9. Laws and Regulations. Each bidder is expected to be familiar with and abide by all laws of the federal, state and local governments regarding their obligations in bidding and performing public contracts.
10. Trade-in. Each bidder will be expected to state a value for the listed vehicles that Cascade County may wish to trade in, and which will reduce the purchase price. The vehicles are included in this bid packet. The value stated by the bidder for each vehicle must be stated separately on the Bid Form. In accepting the bid from the successful bidder, Cascade County may elect to trade any, all, or none of the used vehicles. If Cascade County elects to trade in any such vehicle(s), the successful bidder shall receive such vehicle(s) at the time of delivery of the newly purchased vehicle(s). The successful bidder will be responsible for transporting any such vehicle(s) from Cascade County. Any items to be traded in shall be accepted by the bidder "as is", with no warranties and/or representations whatsoever. Upon reasonable advance notice, any bidder may inspect any of the items proposed for trade-in by contacting Public Works Department Fleet Maintenance Division Superintendent Bob Wilson. The transfer of any such vehicle(s) shall be by bill of sale and/or conveyance of the signed vehicle title delivered to the successful bidder at the time of delivery of the newly purchased vehicle(s).
11. Warranty. Each vehicle make and model must list a proposed warranty for both parts and labor.
12. Questions. Should any bidder have any questions about the specifications, or any provision or other information contained in the bidder's package, they may direct inquires to Brian K. Clifton, Director, Cascade County Public Works, 279 Vaughn S. Frontage Road, Great Falls, MT 59404; phone 406-454-6920. Any clarification information, or any changes made to any information in the bidder's package shall be provided to all potential bidders who have obtained a copy of the specifications from Cascade County.

Cascade County Public Works Department

BIDDER'S SUBMISSION REQUIREMENTS

Sealed bids shall be submitted by each bidder. Sealed bids must be received by Cascade County no later than 1:00 o'clock p.m., November 13th, 2014, which is the time of commencement of the meeting to open bids. Bidders are expected to abide by the following requirements.

Each bid and accompanying documents shall be submitted in a standard 8 1/2 x 12, or larger manila envelope. The manila envelope shall be sealed, and the following information shall be written or typed on the outside of the envelope: (1) the name, address, and telephone number of the bidder; (2) the words "Bid to Cascade County for Fleet Vehicles".

The following documents shall be included in the manila envelope, in the following order:

1. Bid Forms. The Bid Form shall be completely filled out and signed by an authorized agent of the bidding company.
2. Bid Bond. A bid bond must be enclosed and must be in the form as specified in this package. The bid bond must be in the amount bid for the vehicle(s), without deduction for the value bid for any of the proposed trade-in items.
3. Warranty Information. All warranty information for the vehicle(s) must be included.
4. Delivery Date. Bidder must specify delivery date. Delivery shall be F.O.B. Cascade County Public Works at Great Falls, Montana.
5. Other Information. Bidders are encouraged, but not required, to include other information about their business and about the equipment in the bid.

Cascade County Public Works Department

BID FORM

(page 1 of 2)

The undersigned Bidder hereby covenants and agrees to provide one (1) or more of each of the various models of fleet vehicles as outlined and described in the specifications included herein, for the price stated per vehicle. The bidder understands that this bid is effective for sixty (60) days from the date of opening. All lines on the Bid Form must be completed.

Vehicle per Specifications	Model & Year	Net Purchase Price (w/o trade)
Police Cruiser (SUV) Fully Equipped	_____	\$ _____ each
Police Cruiser (SUV only) without Police Package	_____	\$ _____ each
Police Package Only	_____	\$ _____ each
Small SUV	_____	\$ _____ each
4x4 ¾ Ton Pickup Cab & Chassis	_____	\$ _____ each
4x4 1 Ton Pickup Cab & Chassis Dually	_____	\$ _____ each
4x4 1 Ton Pickup Dually With Fully Equipped Service Body	_____	\$ _____ each
4x4 1.5 Ton Pickup with 15' Dump Flatbed	_____	\$ _____ each

Proposed delivery date(s): _____

Bidder's Name _____

Bidder's Signature _____

BID FORM

(page 2 of 2)

NOTE: CASCADE COUNTY RESERVES THE RIGHT TO SELECT THE LOWEST MOST RESPONSIBLE BIDDER OF EACH OF THE MAKE & MODEL PROPOSED. (FOR EXAMPLE: THE SMALL SUV(S) MAY BE BOUGHT FROM ONE VENDOR AND THE LARGE VAN(S) MAY BE BOUGHT FROM A DIFFERENT VENDOR DEPENDING ON THE LOWEST MOST RESPONSIBLE BID PER MAKE AND MODEL). CASCADE COUNTY RESERVES THE RIGHT TO KEEP ANY OR ALL OF THE VEHICLES FOR PROPOSED TRADE-IN. THE BID BOND SUBMITTED WITH THIS FORM SHALL BE BASED ON THE FULL AMOUNT BID FOR THE NEW VEHICLES, AND MAY NOT BE REDUCED FOR THE VALUE OF ANY OF THE PROPOSED VEHICLES FOR TRADE-IN.

Bidder's Name _____

Bidder's Address _____

Bidder's Phone No. _____

Bidder's Signature

Cascade County Public Works Department

TRADE-IN VALUE CONSIDERATION

(page 1 of 2)

Vehicle Description	Vin Number	Trade-in Value
(1) 2007 Ford F150 Quadcab XLT (#302) Fully equipped Sheriff vehicle: Whelen light bar, cage, shotgun rack, AR rack, Python radar system, ICOP, Streamlight, dual spotlight, siren control and speaker, push bumper, Diamond plate tool box, Tow package, and trailer hitch.	1FTPW14V57FB71620	\$ _____
(1) 2007 Ford F150 Quadcab XLT (#322) Fully equipped Sheriff vehicle: Whelen light bar, cage, shotgun rack, AR rack, Python radar system, ICOP, Streamlight, dual spotlight, siren control and speaker, push bumper, Diamond plate tool box, Tow package, and trailer hitch.	1FTPW14V07FB71623	\$ _____
(1) 2007 Ford F150 Quadcab XLT (#326) Fully equipped Sheriff vehicle: Whelen light bar, cage, shotgun rack, AR rack, Python radar system, ICOP, Streamlight, dual spotlight, siren control and speaker, push bumper, Diamond plate tool box, Tow package, and trailer hitch.	1FTPW14V37FA29783	\$ _____
(1) 2008 Ford F150 Quadcab XLT (#303) Fully equipped Sheriff vehicle: Whelen light bar, cage, shotgun rack, AR rack, Python radar system, ICOP, Streamlight, dual spotlight, siren control and speaker, push bumper, Diamond plate tool box, Tow package, and trailer hitch.	1FTPW14V68FC31597	\$ _____
(1) 2007 Ford F150 Quadcab XLT (#351) Fully equipped Sheriff vehicle: Whelen light bar, cage, shotgun rack, AR rack, Python radar system, ICOP, Streamlight, dual spotlight, siren control and speaker, push bumper, Diamond plate tool box, Tow package, and trailer hitch.	1FTPW14V47KB38535	\$ _____
(1) 2004 Ford Crown Victoria (#311) Fully equipped Sheriff vehicle: Whelen light bar, cage, shotgun rack, AR rack, Python radar system, Streamlight, dual spotlight, siren control and speaker, push bumper	2FAFP71W14X159821	\$ _____
(1) 2001 Ford F150 Crew Cab XLT (#332)	1FTRW08L11KB65209	\$ _____
(1) 2002 Ford F150 Crew Cab XLT 2WD (#336)	1FTRW07622KA60840	\$ _____
(1) 2004 Chevy Impala (#309)	2G1WF5ZK749150728	\$ _____
(1) 2000 Diesel Chevy Suburban 4x4 (#323)	3GNGK26F8VG191208	\$ _____
(1) 1999 Ford Contour (#410)	1FAFP6633XK193484	\$ _____
(1) 1999 Chevy Venture Van (#408)	1GNDX03E1XD170396	\$ _____
(1) 2004 Ford Taurus (#703)	1FAFP53U94G112364	\$ _____
(1) 1977 Chevy 1 Ton Flatbed (#505)	CCL3372141000	\$ _____

Cascade County Public Works Department

(1) 1999 GMC Suburban 1500 (#535)	1GKFK16R3XJ724323	\$ _____
(1) 1974 Chevy ¾ Ton 4x4 (#5105)	CKY244Z168162	\$ _____
(1) 1994 Chevy 1 Ton 4x4 Cab & Chas. (#3115)	1GBJK34K6RE294731	\$ _____
(1) 1995 Chevy 1 Ton 4x4 Cab & Chas. (#4112)	1GBHC34K0SE203844	\$ _____
(1) 1990 Chevy 1 Ton 4x4 Cab & Chas. (#3123)	1GBJK34K3LE194658	\$ _____

A bidder can set up a time and date to inspect or view a trade-in vehicle by contacting Bob Wilson at Cascade County Public Works at 406-454-6913.

Cascade County Public Works Department

AGREEMENT

THIS AGREEMENT is made this _____ day of _____, 2014, by and between Cascade County, and _____, hereinafter referred to as the seller, and is meant to describe the terms and conditions for the sale by seller and the purchase over time by Cascade County of _____, fleet vehicle(s) as described in the specifications.

THE PARTIES COVENANT AND AGREE AS FOLLOWS:

1. Item Purchased. The seller agrees to sell and provide, and Cascade County agrees to purchase the _____ certain vehicle(s) with associated equipment, for the sale price of \$ _____.

The specific vehicle(s) to be purchased over time is more specifically described as follows: _____

2. Delivery Date. Time is of the essence in this agreement. The seller shall deliver the vehicle(s) and associated equipment to Cascade County no later than _____. If full delivery is not made by such date, the parties hereby agree that Cascade County shall be entitled to liquidated damages in the amount of \$50.00 for each day past such deliver date until full delivery takes place. Cascade County may choose to waive its receipt of liquidated damages.

3. Contract Documents. The parties understand and agree that there are various documents which are an integral part of this contract, and by this reference are fully incorporated herein: to include all of the documents which are part of the Bidder's Package.

4. Insurance. Delivery shall be F.O.B. Cascade County Shop at Great Falls, Montana. The seller shall be responsible for insuring the vehicle(s) until they are delivered and off-loaded to Cascade County. Cascade County shall not be responsible for loss until such time, and then upon unloading the equipment the obligation for insurance shall be the responsibility of Cascade County.

5. Venue for Disputes. Should any dispute arise regarding this contract, proper venue

Cascade County Public Works Department

shall be in the District Court of the Eighth Judicial District, in and for Cascade County, Montana.

6. Binding Effect. This contract shall bind and inure to the benefit of the heirs, successors, and assigns of the parties.

Dated this _____ day of _____, 2014.

CASCADE COUNTY:

Bill Salina, Chairman

ATTEST:

Rina Fontana Moore, Clerk and Recorder

Successful Bidder

SPECIFICATIONS

Please describe all warranties, guarantees, and extended coverage's of the various make and model of vehicle(s) proposed.

- A. All vehicle(s) proposed shall include estimated highway mpg and estimated city mpg.
- B. No bid will be considered unless accompanied by a bid bond, bank draft, money order, or certified or cashier's check, in the amount of not less than ten percent (10%) of the total amount for the total number of vehicle(s) bid, as further described in paragraph 3 of the General Information for Bidders in the Bidder's Package.
- C. Delivery shall be F.O.B. Cascade County Public Works located at 279 Vaughn South Frontage Road, Great Falls, Montana.
- D. Upon delivery, the successful bidder shall include one (1) service repair manual, one (1) complete power train and emissions diagnosis manual, and one (1) electrical schematic manual, total per vehicle type. In addition, all vehicles shall come with an owner/operators manual.
- E. Bidder must specify delivery date.
- F. All vehicle(s) shall be the current advertised and produced model, with all the latest changes and features offered as standard, whether or not called for in the bid specifications.

Pursuant to the Invitation to Bidders, requesting bids for one (1) or more, new 2014 or newer model of the following fleet of vehicles. The following minimum requirements, or substantially similar equivalents, shall be met for each vehicle:

PLEASE INDICATE, ON A SEPARATE SHEET OF PAPER FOR EACH SPECIFIC VEHICLE TYPE, IF ANY OF THE FOLLOWING SPECIFICATIONS CANNOT BE MET OR IF THE BIDDER IS SUBMITTING AN EQUIVALENT SPECIFICATION. ANY ALTERNATE SUBMITTAL MUST BE CLARIFIED ON A SEPARATE SHEET IF THE BIDDER DESIRES SUPPORT FOR AN ALTERNATE OR SUBSTANTIALLY SIMILAR SPECIFICATION.

Cascade County Public Works Department

VEHICLE TYPE #1

Police Cruiser (SUV) Fully Equipped with Police Package

SPECIFICATIONS

Powertrain

3.7L V-6 DOHC SMPI 24 valve engine with variable valve control * 220 amp HD alternator * 750 amp 78 amp hours (Ah) HD battery * Engine block heater, engine oil cooler, HD radiator, transmission oil cooler * 6-speed electronic automatic transmission with overdrive, lock-up * Automatic full-time all-wheel drive with permanent locking hubs * ABS & driveline traction control * 3.65 axle ratio * Dual stainless steel exhaust with tailpipe finisher

Steering and Suspension

Electric power-assist rack and pinion steering * 4-wheel disc brakes with front vented discs * AdvanceTrac w/Roll Stability Control electronic stability control with anti-roll * Independent front suspension * Front strut suspension * Front anti-roll bar * Front coil springs * Gas-pressurized front shocks * Rear independent suspension * Rear multi-link suspension * Rear anti-roll bar * Rear coil springs * Gas-pressurized rear shocks * Front and rear 18.0" x 8.00" black steel wheels with hub covers * P245/55WR18.0 BSW AS front and rear tires * Inside under cargo mounted full-size steel spare wheel

Safety

4-wheel anti-lock braking system * Center high mounted stop light * Dual airbags, seat mounted driver and passenger side-impact airbags, Safety Canopy System curtain 1st and 2nd row overhead airbags, airbag occupancy sensor * Front height adjustable seatbelts with front pre-tensioners

Comfort and Convenience

Air conditioning, air filter, underseat ducts * AM/FM stereo, clock, seek-scan, in-dash mounted single CD, MP3 decoder, SYNC external memory control, 6 speakers, voice activation, speed sensitive volume, Bluetooth wireless streaming, integrated roof antenna, radio steering wheel controls * 1 1st row LCD monitor * Cruise control with steering wheel controls * Power door locks, keyfob (all doors) keyless entry, child safety rear door locks, tailgate/rear door lock included with power doors * 2 12V DC power outlets, driver foot rest, retained accessory power, power adjustable pedals, Bluetooth wireless phone connectivity * Analog instrumentation display includes tachometer, engine temperature gauge, engine hour meter, systems monitor, redundant digital speedometer, trip computer, trip odometer * Warning indicators include oil pressure, engine temperature, battery, lights on, key, low fuel, low washer fluid, door ajar, trunk/liftgate ajar, service interval, brake fluid, low tire pressure * Steering wheel with tilt adjustment * Power front and rear windows with deep tint, driver 1-touch down, fixed rearmost windows * Variable intermittent front windshield wipers, sun visor strip, fixed interval rear wiper with heated wiper park, rear window defroster * Dual vanity mirrors * Day-night rearview mirror * Interior lights include dome light with fade, front and rear reading lights, illuminated entry * Mini overhead console with storage, locking glove box, dashboard storage, driver and passenger door bins * Carpeted cargo floor, plastic trunk lid/rear cargo door, cargo tie downs, cargo light, cargo tray/organizer

Seating and Interior

Seating capacity of 5 * Bucket front seats with adjustable head restraints * 8-way adjustable (6-way power) driver seat includes lumbar support * 4-way adjustable passenger seat * 60-40 folding rear split-bench seat with fold forward seatback * Cloth faced front seats with vinyl back material * Vinyl faced rear seats with carpet back material * Full cloth headliner, full vinyl/rubber floor covering, metal-look instrument panel insert, urethane gear shift knob, metal-look door panel insert, metal-look interior accents

Exterior Features

Rear lip spoiler, side impact beams, front license plate bracket, galvanized steel/aluminum body material * Black bodyside cladding, black wheel well trim molding * Black side window moldings, black front windshield molding * Black door handles * Black grille * 4 doors with liftgate rear cargo door * Driver and passenger power remote black convex spotter folding outside mirrors * Front and rear body-colored bumpers with black rub strip/fascia accents * Projector beam halogen headlamps * Clearcoat monotone paint * Police/fire

Warranty

Basic 36 month/36,000 miles Powertrain 60 month/100,000 miles
Corrosion Perforation 60 month/unlimited mileage Roadside Assistance 60 month/60,000 miles

Cascade County Public Works Department

Dimensions and Capacities

Output	304 hp @ 6,500 rpm Torque	279 lb.-ft. @ 4,000 rpm
1st gear ratio	4.484 2nd gear ratio	2.872
3rd gear ratio	1.842 4th gear ratio	1.414
5th gear ratio	1.000 6th gear ratio	0.742
Reverse gear ratio	2.882 City/hwy	16 mpg/21 mpg
GVWR	6,300 lbs. Front legroom	40.6 "
Rear legroom	41.6 " Front headroom	41.4 "
Rear headroom	40.1 " Front hiproom	57.3 "
Rear hiproom	56.8 " Front shoulder room	61.3 "
Rear shoulder room	60.9 " Passenger area volume	118.4 cu.ft.
Length	197.1 " Body width	78.9 "
Body height	69.2 " Wheelbase	112.6 "
Axle to end of frame	46.5 " Front tread	67.0 "
Rear tread	67.0 " Fuel tank	18.6 gal.
Interior cargo volume	48.1 cu.ft. Interior cargo volume seats folded	85.1 cu.ft.
Interior maximum cargo volume	85.1 cu.ft.	

Vehicle Snapshot

Engine: 3.7L V6 Ti-VCT FFV
Transmission: 6-Speed Automatic
Rear Axle Ratio: 3.65
GVWR: 6,300 lbs

Packages

Preferred Equipment Package 500A

(99R) Engine: 3.7L V6 Ti-VCT FFV : High efficient police calibrated displacement technology is optimal for long days spent idling or on the job.; (44C) Transmission: 6-Speed Automatic : Exclusively police calibrated for maximum acceleration and faster closing speeds.; (STDAX) 3.65 Axle Ratio; (STDGV) GVWR: 6,300 lbs; (STDTR) Tires: P245/55R18 AS BSW; (STDWL) Wheels: 18" x 8" 5-Spoke Painted Black Steel : Includes center caps and full size spare.; (9) Heavy-Duty Cloth Front Bucket Seats/Vinyl Rear : Unique. Includes 6-way power track driver (fore/aft.up/down tilt with manual recline), 2-way manual lumbar and passenger 2-way manual track (fore/aft. with manual recline).; (STDRD) Radio: AM/FM/CD/MP3 Capable : Includes clock, 6 speakers and 4.2" color LCD screen center-stack "Smart Display".

Powertrain

Engine: 3.7L V6 Ti-VCT FFV

High efficient police calibrated displacement technology is optimal for long days spent idling or on the job. Torque: 279 ft.lbs. @ 4000 rpm.

Transmission: 6-Speed Automatic

Exclusively police calibrated for maximum acceleration and faster closing speeds.

3.65 Axle Ratio

GVWR: 6,300 lbs

Wheels & Tires

Tires: P245/55R18 AS BSW Included

Wheels: 18" x 8" 5-Spoke Painted Black Steel Included

Includes center caps and full size spare.

All five (5) wheels will include TPMS sensors.

Seats & Seat Trim

Heavy-Duty Cloth Front Bucket Seats/Vinyl Rear

Unique. Includes 6-way power track driver (fore/aft.up/down tilt with manual recline), 2-way manual lumbar and passenger 2-way manual track (fore/aft. with manual recline).

Other Options

113" Wheelbase N/C

Monotone Paint Application

Radio: AM/FM/CD/MP3 Capable

Includes clock, 6 speakers and 4.2" color LCD screen center-stack "Smart Display".

Front Headlamp Lighting Solution

(60A) Grille Lamp, Siren & Speaker Pre-Wiring. Includes base projector beam headlamp plus (2) multi-function Park/Turn/Warn (PTW) bulbs for wig-wag simulation, (2) white hemispheric lighthouse LED side warning lights. Wiring and LED lights included. Controller not included.

Tail Lamp Lighting Solution

Includes base LED lights plus (2) rear integrated hemispheric lighthouse white LED side warning lights in taillamps. LED lights only. Wiring and controller not included.

Rear Lighting Solution

Includes (2) backlight flashing linear high-intensity LED lights (driver's side red/passenger side blue) mounted to inside liftgate glass and (2) backlight flashing linear high-intensity LED lights (driver's side red/passenger side blue) installed on inside lip of liftgate (lights activate when liftgate is open). LED lights only. Wiring and controller not included.

Ready For The Road Package

(66A) Front Headlamp Lighting Solution : Includes base projector beam headlamp plus (2) multi-function Park/Turn/Warn (PTW) bulbs for wig-wag simulation, (2) white hemispheric lighthouse LED side warning lights. Wiring and LED lights included. Controller not included.; (66B) Tail Lamp Lighting Solution : Includes base LED lights plus (2) rear integrated hemispheric lighthouse white LED side warning lights in taillamps. LED lights only. Wiring and controller not included.; (66C) Rear Lighting Solution : Includes (2) backlight flashing linear high-intensity LED lights (driver's side red/passenger side blue) mounted to inside liftgate glass and (2) backlight flashing linear high-intensity LED lights (driver's side red/passenger side blue) installed on inside lip of liftgate (lights activate when liftgate is open). LED lights only. Wiring and controller not included.; (85R) Rear Console Plate; (18X) 100 Watt Siren/Speaker w/Bracket & Pigtail; (52P) Hidden Door Lock Plunger/Rr Door Handle Inoperable. Includes Whelen Cencom light controller head with dimmable back light, Whelen Cencom relay center / siren / amp with Traffic Adviser (mounted behind 2nd row seat), light controller / relay Cencom wiring (wiring harness) with additional input/output pigtails, high current pigtail, Whelen specific WECAN cable (console to cargo area) connects Cencom to control head, grille linear LED lights (red/blue) and wiring harness with (2) 50 amp battery and ground circuits in RH rear-quarter.

Front License Plate Bracket

Dark Car Feature

Courtesy lamp disabled when any door is opened.

Grille Lamp, Siren & Speaker Pre-Wiring

Driver Only Incandescent Spot Lamp

SYNC Basic Voice-Activated Communications System

Includes single USB port and single auxiliary input jack.

Setina vertical steel window barriers on rear doors

Hidden Door Lock Plunger/Rr Door Handle Inoperable

Rear Power Window Delete

Operable from front driver side switches.

Two (2) Remote Keyless Entry Key Fobs w/o Key Pad

Does not include PATS.

Noise Suppression Bonds

Includes ground straps.

Rear Console Plate Included

100 Watt Siren/Speaker w/Bracket & Pigtail

Fleet Options

Engine Block Heater

REQUIRES valid FIN code.

Internal Options

Paint Table : Primary

Interior Colors For : Primary

Charcoal Black

Primary Colors For : Primary

Ebony

Accessories and Aftermarket Options

3 - 12V Outlets

Brake Light By-Pass Switch

Double Weapon Mount

Double weapon mount for recessed cage. Includes 1 shotgun and 1 universal mount.

Flashlight

STREALIGHT SL-20L; Console mounted

ION LED Lightheads - Pair

Ignition By-Pass Switch

Inner Edge® Low-Profile Upper Front Series Visor Light

Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)

Interceptor Utility Police Vehicle Specific 21" Console

Console, Vehicle specific, 21" Total mounting space, 12 Degrees, Housing complete, Ford Interceptor Utility Police Vehicle 2013

MPH Industries Python III Radar w/ Single Antenna

The classic Python radar system has been completely redesigned for the 21st century. The smaller readout unit has a completely new look, with bigger, easier-to-read displays. The K-band antenna unit is the smallest on the market. The simple remote control still allows you to keep your eyes on the road, where they should be, instead of fishing for buttons.

Setina Recessed Partition

Setina recessed partition with horizontal sliding uncoated clear polycarbonate window.

Setina push bumper

Sentina PB450-L Lighted (red and blue lights) push bumper -required

Standard rear cage

Standard rear cage

Mirror Mounted Super-LED® Series Lightheads

Two Split Red/Blue Lightheads for side mirrors

Cup Holder for Center Mount Console

ICOP Model 20/20W

ICOP system should be fully installed by successful bidder, prior to delivery of vehicle.

The ICOP Model 20/20@-W is the leading digital in-car video recorder system for law enforcement, recording high quality video in the vehicle, capable of live streaming video to other first responder vehicles and headquarters. The ICOP Model 20/20-W is loaded with features that can be found in no other in-car video system. Includes Siren Detector and Crash Sensor.

Cascade County Public Works Department

VEHICLE TYPE #2

Police Cruiser (SUV) excluding Police Package

SPECIFICATIONS

Powertrain

3.7L V-6 DOHC SMPI 24 valve engine with variable valve control * 220 amp HD alternator * 750 amp 78 amp hours (Ah) HD battery * Engine block heater, engine oil cooler, HD radiator, transmission oil cooler * 6-speed electronic automatic transmission with overdrive, lock-up * Automatic full-time all-wheel drive with permanent locking hubs * ABS & driveline traction control * 3.65 axle ratio * Dual stainless steel exhaust with tailpipe finisher

Steering and Suspension

Electric power-assist rack and pinion steering * 4-wheel disc brakes with front vented discs * AdvanceTrac w/Roll Stability Control electronic stability control with anti-roll * Independent front suspension * Front strut suspension * Front anti-roll bar * Front coil springs * Gas-pressurized front shocks * Rear independent suspension * Rear multi-link suspension * Rear anti-roll bar * Rear coil springs * Gas-pressurized rear shocks * Front and rear 18.0" x 8.00" black steel wheels with hub covers * P245/55WR18.0 BSW AS front and rear tires * Inside under cargo mounted full-size steel spare wheel

Safety

4-wheel anti-lock braking system * Center high mounted stop light * Dual airbags, seat mounted driver and passenger side-impact airbags, Safety Canopy System curtain 1st and 2nd row overhead airbags, airbag occupancy sensor * Front height adjustable seatbelts with front pre-tensioners

Comfort and Convenience

Air conditioning, air filter, underseat ducts * AM/FM stereo, clock, seek-scan, in-dash mounted single CD, MP3 decoder, SYNC external memory control, 6 speakers, voice activation, speed sensitive volume, Bluetooth wireless streaming, integrated roof antenna, radio steering wheel controls * 1 1st row LCD monitor * Cruise control with steering wheel controls * Power door locks, keyfob (all doors) keyless entry, child safety rear door locks, tailgate/rear door lock included with power doors * 2 12V DC power outlets, driver foot rest, retained accessory power, power adjustable pedals, Bluetooth wireless phone connectivity * Analog instrumentation display includes tachometer, engine temperature gauge, engine hour meter, systems monitor, redundant digital speedometer, trip computer, trip odometer * Warning indicators include oil pressure, engine temperature, battery, lights on, key, low fuel, low washer fluid, door ajar, trunk/liftgate ajar, service interval, brake fluid, low tire pressure * Steering wheel with tilt adjustment * Power front and rear windows with deep tint, driver 1-touch down, fixed rearmost windows * Variable intermittent front windshield wipers, sun visor strip, fixed interval rear wiper with heated wiper park, rear window defroster * Dual vanity mirrors * Day-night rearview mirror * Interior lights include dome light with fade, front and rear reading lights, illuminated entry * Mini overhead console with storage, locking glove box, dashboard storage, driver and passenger door bins * Carpeted cargo floor, plastic trunk lid/rear cargo door, cargo tie downs, cargo light, cargo tray/organizer

Seating and Interior

Seating capacity of 5 * Bucket front seats with adjustable head restraints * 8-way adjustable (6-way power) driver seat includes lumbar support * 4-way adjustable passenger seat * 60-40 folding rear split-bench seat with fold forward seatback * Cloth faced front seats with vinyl back material * Vinyl faced rear seats with carpet back material * Full cloth headliner, full vinyl/rubber floor covering, metal-look instrument panel insert, urethane gear shift knob, metal-look door panel insert, metal-look interior accents

Exterior Features

Rear lip spoiler, side impact beams, front license plate bracket, galvanized steel/aluminum body material * Black bodyside cladding, black wheel well trim molding * Black side window moldings, black front windshield molding * Black door handles * Black grille * 4 doors with liftgate rear cargo door * Driver and passenger power remote black convex spotter folding outside mirrors * Front and rear body-colored bumpers with black rub strip/fascia accents * Projector beam halogen headlamps * Clearcoat monotone paint * Police/fire

Warranty

Basic 36 month/36,000 miles Powertrain 60 month/100,000 miles
Corrosion Perforation 60 month/unlimited mileage Roadside Assistance 60 month/60,000 miles

Cascade County Public Works Department

Dimensions and Capacities

Output	304 hp @ 6,500 rpm Torque	279 lb.-ft. @ 4,000 rpm
1st gear ratio	4.484 2nd gear ratio	2.872
3rd gear ratio	1.842 4th gear ratio	1.414
5th gear ratio	1.000 6th gear ratio	0.742
Reverse gear ratio	2.882 City/hwy	16 mpg/21 mpg
GVWR	6,300 lbs. Front legroom	40.6 "
Rear legroom	41.6 " Front headroom	41.4 "
Rear headroom	40.1 " Front hiproom	57.3 "
Rear hiproom	56.8 " Front shoulder room	61.3 "
Rear shoulder room	60.9 " Passenger area volume	118.4 cu.ft.
Length	197.1 " Body width	78.9 "
Body height	69.2 " Wheelbase	112.6 "
Axle to end of frame	46.5 " Front tread	67.0 "
Rear tread	67.0 " Fuel tank	18.6 gal.
Interior cargo volume	48.1 cu.ft. Interior cargo volume seats folded	85.1 cu.ft.
Interior maximum cargo volume	85.1 cu.ft.	

Vehicle Snapshot

Engine: 3.7L V6 Ti-VCT FFV
Transmission: 6-Speed Automatic
Rear Axle Ratio: 3.65
GVWR: 6,300 lbs

Packages

Preferred Equipment Package 500A

(99R) Engine: 3.7L V6 Ti-VCT FFV : High efficient police calibrated displacement technology is optimal for long days spent idling or on the job.; (44C) Transmission: 6-Speed Automatic : Exclusively police calibrated for maximum acceleration and faster closing speeds.; (STDAX) 3.65 Axle Ratio; (STDGV) GVWR: 6,300 lbs; (STDTR) Tires: P245/55R18 AS BSW; (STDWL) Wheels: 18" x 8" 5-Spoke Painted Black Steel : Includes center caps and full size spare.; (9) Heavy-Duty Cloth Front Bucket Seats/Vinyl Rear : Unique. Includes 6-way power track driver (fore/aft.up/down tilt with manual recline), 2-way manual lumbar and passenger 2-way manual track (fore/aft. with manual recline).; (STDRD) Radio: AM/FM/CD/MP3 Capable : Includes clock, 6 speakers and 4.2" color LCD screen center-stack "Smart Display".

Powertrain

Engine: 3.7L V6 Ti-VCT FFV

High efficient police calibrated displacement technology is optimal for long days spent idling or on the job. Torque: 279 ft.lbs. @ 4000 rpm.

Transmission: 6-Speed Automatic

Exclusively police calibrated for maximum acceleration and faster closing speeds.

3.65 Axle Ratio

GVWR: 6,300 lbs

Wheels & Tires

Tires: P245/55R18 AS BSW Included

Wheels: 18" x 8" 5-Spoke Painted Black Steel Included

Includes center caps and full size spare.

All five (5) wheels will include TPMS sensors.

Seats & Seat Trim

Heavy-Duty Cloth Front Bucket Seats/Vinyl Rear

Unique. Includes 6-way power track driver (fore/aft.up/down tilt with manual recline), 2-way manual lumbar and passenger 2-way manual track (fore/aft. with manual recline).

Fleet Options

Engine Block Heater
REQUIRES valid FIN code.

Internal Options

Paint Table : Primary

Interior Colors For : Primary

Charcoal Black

Primary Colors For : Primary

Ebony

TYPE #3

Police Package for Fully Equipped Police Cruisers (SUV)

OTHER OPTIONS

113" Wheelbase N/C

Monotone Paint Application

Radio: AM/FM/CD/MP3 Capable

Includes clock, 6 speakers and 4.2" color LCD screen center-stack "Smart Display".

Front Headlamp Lighting Solution

(60A) Grille Lamp, Siren & Speaker Pre-Wiring. Includes base projector beam headlamp plus (2) multi-function Park/Turn/Warn (PTW) bulbs for wig-wag simulation, (2) white hemispheric lighthouse LED side warning lights. Wiring and LED lights included. Controller not included.

Tail Lamp Lighting Solution

Includes base LED lights plus (2) rear integrated hemispheric lighthouse white LED side warning lights in taillamps. LED lights only. Wiring and controller not included.

Rear Lighting Solution

Includes (2) backlight flashing linear high-intensity LED lights (driver's side red/passenger side blue) mounted to inside liftgate glass and (2) backlight flashing linear high-intensity LED lights (driver's side red/passenger side blue) installed on inside lip of liftgate (lights activate when liftgate is open). LED lights only. Wiring and controller not included.

Ready For The Road Package

(66A) Front Headlamp Lighting Solution : Includes base projector beam headlamp plus (2) multi-function Park/Turn/Warn (PTW) bulbs for wig-wag simulation, (2) white hemispheric lighthouse LED side warning lights. Wiring and LED lights included. Controller not included.; (66B) Tail Lamp Lighting Solution : Includes base LED lights plus (2) rear integrated hemispheric lighthouse white LED side warning lights in taillamps. LED lights only. Wiring and controller not included.; (66C) Rear Lighting Solution : Includes (2) backlight flashing linear high-intensity LED lights (driver's side red/passenger side blue) mounted to inside liftgate glass and (2) backlight flashing linear high-intensity LED lights (driver's side red/passenger side blue) installed on inside lip of liftgate (lights activate when liftgate is open). LED lights only. Wiring and controller not included.; (85R) Rear Console Plate; (18X) 100 Watt Siren/Speaker w/Bracket & Pigtail; (52P) Hidden Door Lock Plunger/Rr Door Handle Inoperable. Includes Whelen Cencom light controller head with dimmable back light, Whelen Cencom relay center / siren / amp with Traffic Adviser (mounted behind 2nd row seat), light controller / relay Cencom wiring (wiring harness) with additional input/output pigtails, high current pigtail, Whelen specific WE CAN cable (console to cargo area) connects Cencom to control head, grille linear LED lights (red/blue) and wiring harness with (2) 50 amp battery and ground circuits in RH rear-quarter.

Front License Plate Bracket

Dark Car Feature

Courtesy lamp disabled when any door is opened.

Grille Lamp, Siren & Speaker Pre-Wiring

Driver Only Incandescent Spot Lamp

SYNC Basic Voice-Activated Communications System

Includes single USB port and single auxiliary input jack.

Setina vertical steel window barriers on rear doors

Hidden Door Lock Plunger/Rr Door Handle Inoperable

Rear Power Window Delete 25.00

Operable from front driver side switches.

Two (2) Remote Keyless Entry Key Fobs w/o Key Pad

Does not include PATS.

Accessories and Aftermarket Options

3 - 12V Outlets

Brake Light By-Pass Switch

Double Weapon Mount

Double weapon mount for recessed cage. Includes 1 shotgun and 1 universal mount.

Flashlight

STREALIGHT SL-20L; Console mounted

ION LED Lightheads - Pair**Ignition By-Pass Switch****Inner Edge® Low-Profile Upper Front Series Visor Light**

Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)

Interceptor Utility Police Vehicle Specific 21" Console

Console, Vehicle specific, 21" Total mounting space, 12 Degrees, Housing complete, Ford Interceptor Utility Police Vehicle 2013

MPH Industries Python III Radar w/ Single Antenna

The classic Python radar system has been completely redesigned for the 21st century. The smaller readout unit has a completely new look, with bigger, easier-to-read displays. The K-band antenna unit is the smallest on the market. The simple remote control still allows you to keep your eyes on the road, where they should be, instead of fishing for buttons.

Setina Recessed Partition

Setina recessed partition with horizontal sliding uncoated clear polycarbonate window.

Setina push bumper

Setina PB450-L Lighted (red and blue lights) push bumper -required

Standard rear cage

Standard rear cage

Mirror Mounted Super-LED® Series Lightheads

Two Split Red/Blue Lightheads for side mirrors

Cup Holder for Center Mount Console \$52.13**ICOP Model 20/20W \$5,272.56**

Fully installed by successful bidder

The ICOP Model 20/20@-W is the leading digital in-car video recorder system for law enforcement, recording high quality video in the vehicle, capable of live streaming video to other first responder vehicles and headquarters. The ICOP Model 20/20-W is loaded with features that can be found in no other in-car video system. Includes Siren Detector and Crash Sensor.

Cascade County Public Works Department

VEHICLE TYPE #4

AWD Small SUV (Examples: Ford Escape, Chevy Equinox)

SPECIFICATIONS

Cab, 5 Door

Arm rests: right and left. Sun Visors: right and left. Seat: Cloth material. Bucket front seats (4-way or 6-way adjustable) with adjustable head restraints. Folding rear split-bench seat with fold forward seatback. Seat Belts: retractor, shoulder type. Turn indicators with four-way flashers and automatic cancellers. 12 Volt accessory outlet. Windshield wipers: electric, two-speed with intermittent control and washers. Mirrors: rear view mirror inside day/night type; outside swing-away left and right. Heater/defroster: fresh air and recirculation. Safety, tinted windshield. Lights: head lamps, stop and tail, backup lights, overhead dome and map, parking brake warning and cargo light. AM/FM radio. Power Steering with tilt wheel. Full width factory rubber floor mat for snow and muddy conditions and air conditioning.

Engine

Size: 2.5 liter minimum, 4 cylinder. Antifreeze: permanent type to 40 degrees F below zero. Air Cleaner: dry type. Alternator: 100 amp hour. Battery: 540 CCA minimum. Engine Heater: frost plug type with electrical cord extending through front of grill. Gauges: standard. Electronic ignition. Fuel Injection.

Transmission/Differential

Automatic Transmission. AWD drivetrain.

Brakes

Power assisted, front disc/rear drum or all wheel disc with anti-locking system.

Wheel and Tires

Wheels: Five identical wheels all with tire pressure monitor sensors. Tires: Five Tires, steel belted, all season, tubeless. All tires mounted and identical.

Suspension

Wheelbase: 112 inches minimum. Minimum GVWR of 4,500 pounds. Shocks: front and rear.

Miscellaneous Equipment

Color: white (not optional). Bumper: front and rear step type with center inverted for license plate and license plate light. Fuel Tank: standard.

Manuals

One complete owner-operator manual per vehicle. One service manual, total. One complete power train and emissions diagnosis manual, total. One electrical schematic, total.

Warranty

Basic: 36 month/36,000 miles. Powertrain: 60 month/100,000 miles. Corrosion Perforation: 60 month/unlimited mileage. Roadside Assistance: 60 month/60,000 miles

Cascade County Public Works Department

VEHICLE TYPE #5

4x4 ¾ Ton Pickup Cab & Chassis

SPECIFICATIONS

Cab, Regular

Arm rests: right and left. Sun Visors: right and left. Seat: Cloth bench type. Seat Belts: retractor, shoulder type. Turn indicators with four-way flashers and automatic cancellers. 12 Volt accessory outlet. Windshield wipers: electric, two-speed with intermittent control and washers. Mirrors: rear view mirror inside day/night type; outside swing-away left and right. Heater/defroster: fresh air and recirculation. Safety, tinted windshield. Lights: head lamps, stop and tail, backup lights, overhead dome and map, parking brake warning and cargo light. AM/FM radio. Power Steering with tilt wheel. Full width rubber floor mat with OEM auxiliary mats and air conditioning.

Engine

Size: Standard V8. Antifreeze: permanent type to 40 degrees F below zero. Air Cleaner: dry type. Alternator: 100 amp hour. Battery: 540 CCA minimum. Engine Heater: frost plug type with electrical cord extending through front of grill. Gauges: standard. Electronic ignition. Fuel Injection.

Transmission/Differential

Automatic Transmission. Locking rear differential or limited slip.

Brakes

Power assisted, front disc/rear drum or all wheel disc with anti-locking system.

Wheel and Tires

Wheels: Five identical wheels all with tire pressure monitor sensors. Tires: Five Tires, steel belted with the top upgraded traction tire option, 10 ply. Tubeless with an E load rating. All tires mounted and identical.

Suspension

Wheelbase: 137 inches minimum. Minimum GVWR of 8,500 pounds. Shocks: heavy dnty, front and rear.

Miscellaneous Equipment

Color: white (not optional). Bumper: front only and license plate light on rear. Fuel Tank: 25 gallons minimum. Trailer towing package with frame-mounted receiver hitch and internal brake module with integrated brake controller.

Manuals

One complete owner-operator manual per vehicle. One service manual, total. One complete power train and emissions diagnosis manual, total. One electrical schematic, total.

Warranty

Basic: 36 month/36,000 miles. Powertrain: 60 month/100,000 miles. Corrosion Perforation: 60 month/unlimited mileage. Roadside Assistance: 60 month/60,000 miles

Cascade County Public Works Department

VEHICLE TYPE #6

4x4 1 Ton Pickup Cab & Chassis Dually

SPECIFICATIONS

Cab, Regular

Arm rests: right and left. Sun Visors: right and left. Seat: Cloth bench type. Seat Belts: retractor, shoulder type. Turn indicators with four-way flashers and automatic cancellers. 12 Volt accessory outlet. Windshield wipers: electric, two-speed with intermittent control and washers. Mirrors: rear view mirror inside day/night type; outside telescoping, swing-away left and right with convex spotter. Heater/defroster: fresh air and recirculation. Safety, tinted windshield. Lights: head lamps, stop and tail, backup lights, overhead dome and map, parking brake warning and cargo light. AM/FM radio. Power Steering with tilt wheel. Full width rubber floor mat with OEM auxiliary mats and air conditioning.

Engine

Size: Standard V8 gasoline engine. Antifreeze: permanent type to 40 degrees F below zero. Air Cleaner: dry type. Alternator: 100 amp hour or greater. Battery: 540 CCA or greater. Engine Heater: frost plug type with electrical cord extending through front of grill. Gauges: standard. Electronic ignition. Fuel Injection.

Transmission/Differential

Automatic or manual Transmission. Locking rear differential or limited slip.

Brakes

Power assisted, front disc/rear drum or all wheel disc with anti-locking system.

Wheel and Tires

Wheels: Seven identical wheels all with tire pressure monitor sensors. Tires: Seven Tires, steel belted with the top upgraded traction tire option, 10 ply. Tubeless with an E load rating. All tires mounted and identical.

Suspension

Wheelbase: 141 inches. **Cab to Axle should be 60"**. Minimum GVWR of 13,200 pounds. Shocks: heavy duty, front and rear.

Miscellaneous Equipment

Color: white (not optional). Bumper: front only and license plate light on rear. Fuel Tank: 25 gallons minimum. Trailer towing package with frame-mounted receiver hitch and internal brake module with integrated brake controller.

Manuals

One complete owner-operator manual per vehicle. One service manual, total. One complete power train and emissions diagnosis manual, total. One electrical schematic, total.

Warranty

Basic: 36 month/36,000 miles. Powertrain: 60 month/100,000 miles. Corrosion Perforation: 60 month/unlimited mileage. Roadside Assistance: 60 month/60,000 miles

Cascade County Public Works Department

VEHICLE TYPE #7

4x4 1 Ton Pickup Dually w/ Fully Equipped Service Body

SPECIFICATIONS

Cab, Regular

Arm rests: right and left. Sun Visors: right and left. Seat: Cloth bench type. Seat Belts: retractor, shoulder type. Turn indicators with four-way flashers and automatic cancellers. 12 Volt accessory outlet. Windshield wipers: electric, two-speed with intermittent control and washers. Mirrors: rear view mirror inside day/night type; outside telescoping, swing-away left and right with convex spotter. Heater/defroster: fresh air and recirculation. Safety, tinted windshield. Lights: head lamps, stop and tail, backup lights, overhead dome and map, parking brake warning and cargo light. AM/FM radio. Power Steering with tilt wheel. Full width rubber floor mat with OEM auxiliary mats and air conditioning.

Engine

Size: Largest Gasoline engine option (V10 or V8). Antifreeze: permanent type to 40 degrees F below zero. Air Cleaner: dry type. Alternator: 100 amp hour or greater. Battery: 540 CCA or greater. Engine Heater: frost plug type with electrical cord extending through front of grill. Gauges: standard. Electronic ignition. Fuel Injection.

Transmission/Differential

Automatic or manual Transmission. Locking rear differential or limited slip.

Brakes

Power assisted, front disc/rear drum or all wheel disc with anti-locking system.

Wheel and Tires

Wheels: Seven identical wheels all with tire pressure monitor sensors. Tires: Seven Tires, steel belted with the top upgraded traction tire option, 10 ply. Tubeless with an E load rating. All tires mounted and identical.

Suspension

Wheelbase: **Cab to Axle should be 60"**. Minimum GVWR of 13,200 pounds. Shocks: heavy duty, front and rear.

Miscellaneous Equipment

Color: white (not optional). Bumper: front only and license plate light on rear. Fuel Tank: 25 gallons minimum. Trailer towing package with frame-mounted receiver hitch and internal brake module with integrated brake controller.

Fully Equipped Service Body

Omaha Standard 108 Series, Model #108DV. Color: White. Length: 9ft. Floor Width: 48-1/2 inches. Compartments: 20 inches deep by 40" high, with a set of 4 nested, slide out trays, in the left side front compartment. Should come with 18 inch tail shelf work deck in place of bumper. Air Compressor: NAPA model# 821033GTH. Crane: Lifemoore Model# 2700AR with 14ft extension. Welder: Wildcat 200 with forty (40) foot leads, ground clamp and stinger.

Manuals

One complete owner-operator manual per vehicle. One service manual, total. One complete power train and emissions diagnosis manual, total. One electrical schematic, total.

Warranty

Basic: 36 month/36,000 miles. Powertrain: 60 month/100,000 miles. Corrosion Perforation: 60 month/unlimited mileage. Roadside Assistance: 60 month/60,000 miles

Cascade County Public Works Department

VEHICLE TYPE #8

4x4 1.5 Ton Pickup with 15' Dump Flatbed (Examples: F450, 4500 or 3500HD)

SPECIFICATIONS

Cab, Regular

Arm rests: right and left. Sun Visors: right and left. Seat: Cloth bench type. Seat Belts: retractor, shoulder type. Turn indicators with four-way flashers and automatic cancellers. 12 Volt accessory outlet. Windshield wipers: electric, two-speed with intermittent control and washers. Mirrors: rear view mirror inside day/night type; outside telescoping, swing-away left and right with convex spotter. Heater/defroster: fresh air and recirculation. Safety, tinted windshield. Lights: head lamps, stop and tail, backup lights, overhead dome and map, parking brake warning and cargo light. AM/FM radio. Power Steering with tilt wheel. Full width rubber floor mat with OEM auxiliary mats and air conditioning.

Engine

Size: Diesel engine (V8 or I-6). Antifreeze: permanent type to 40 degrees F below zero. Air Cleaner: dry type. Alternator: 100 amp hour minimum. Battery(s): standard CCA minimum for the diesel engine. Engine Heater: frost plug type with electrical cord extending through front of grill. Gauges: standard. Fuel Injection.

Transmission/Differential

Automatic transmission. Locking rear differential or limited slip.

Brakes

Power assisted, front disc/rear drum or all wheel disc with anti-locking system.

Pickup Box

Dump flat bed, 15 feet in length

Wheel and Tires

Wheels: Seven identical wheels all with tire pressure monitor sensors. Tires: Seven Tires, steel belted with the top upgraded traction tire option, tubeless. All tires mounted and identical.

Suspension

Wheelbase: 200 inches. Minimum GVWR of 14000 pounds. Shocks: heavy duty, front and rear.

Miscellaneous Equipment

Color: white (not optional). Bumper: front only and license plate light on rear. Fuel Tank: 25 gallons minimum. Trailer towing package with frame-mounted receiver hitch and internal brake module with integrated brake controller.

Manuals

One complete owner-operator manual per vehicle. One service manual, total. One complete power train and emissions diagnosis manual, total. One electrical schematic, total.

Warranty

Basic: 36 month/36,000 miles. Powertrain: 60 month/100,000 miles. Corrosion Perforation: 60 month/unlimited mileage. Roadside Assistance: 60 month/60,000 miles

Cascade County Public Works Department

AFFIDAVIT AND INFORMATION REQUIRED OF BIDDERS

AFFIDAVIT OF NON-COLLUSION

I hereby swear (or affirm) under the penalty; for perjury;

- (1) That I am the bidder (if bidder is an individual), a partner in the bidder (if the bidder is a partnership), or an officer or employee of the bidding corporation having authority to sign on its behalf (if the bidder is a corporation);
- (2) That the attached bid or bids have been arrived at by the bidder independently, and have been submitted without collusion with, and without any agreement, understanding, or planned common course of action with any other vendor of materials, supplies, equipment or services described in the invitation to bid, designed to limit independent bidding or competition;
- (3) That the contents of the bid or bids have not been communicated by the bidder or its employees or agents to any person not an employee or agent of the bidder or its surety on any bond furnished with the bid or bids, and will not be communicated to any such person prior to the official opening of the bid or bids; and
- (4) That I have fully informed myself regarding the accuracy of the statements made in this affidavit.

SIGNED: _____

FIRM NAME: _____

DATE: _____

ADDRESS: _____

SUBSCRIBED AND SWORN TO BEFORE ME

THIS _____ DAY OF _____, 20____.

NOTARY PUBLIC

Print name:

My commission expires: _____

BIDDER'S E.I NUMBER: _____

(Number used on Employer's Quarterly Federal Tax Return, U.S. Treasury Department Form 941)

BIDDER'S CHECKLIST

Please be sure you have completed the following prior to submitting your bid:

1. Read and understood the specifications.
2. Enclosed all documents listed in the Bidder's Submission Requirements
3. Made yourself familiar with any State laws that pertain to this bid.
4. Asked any questions, and received answers, regarding the bid procedure, specifications, or general information.

***** NOTE: Any bid that is not properly addressed (including bidders phone no.), or that is delivered past the date and time indicated on the invitation to bid, will be invalid and will not be opened or considered.*****